





BEAUFORT COUNTY

WELL NUMBER: BFT-37 GRID NUMBER: 28GG-s1
 LATITUDE: 32°31'44" LONGITUDE: 80°46'02"
 LOCATION: Approximately 3 mi northwest of the US Marine Corps Air Station and 2 mi south of Seabrook Point.
 AQUIFER: Floridan.
 CHARACTERISTICS: 6-inch diameter domestic well. Depth: 120 ft. Open interval: 38-120 ft.
 DATUM: Land surface datum is 16.62 ft above National Geodetic Vertical Datum of 1929.
 MEASURING POINT: Opening in casing, 0.61 ft above land surface datum.
 PERIOD OF RECORD: 1941-1994.
 EXTREMES: Highest water level: 4.12 ft below land surface datum, March 20, 1941.
 Lowest water level: 15.00 ft below land surface datum, April 23, 1976.
 REMARKS: 1941-1994, intermittent measurements. Water levels affected by tidal fluctuations.
 Chemical analysis and geophysical logs are available.





BEAUFORT COUNTY

WELL NUMBER:	BFT-101	GRID NUMBER: 27KK-y1
LATITUDE:	32°10'05"	LONGITUDE: 80°44'27"
LOCATION:	300 ft west of U.S. 278 and about 1.5 mi northeast of Sea Pines Circle, Hilton Head Island.	
AQUIFER:	Floridan.	
CHARACTERISTICS:	8-inch diameter observation well. Depth: 442 ft. Open interval: 129-442 ft.	
DATUM:	Land surface datum is 13.80 ft above National Geodetic Vertical Datum of 1929.	
MEASURING POINT:	Top of casing, 1.8 ft above land surface datum.	
PERIOD OF RECORD:	1955-2000.	
EXTREMES:	Highest water level: 12.29 ft below land surface datum, July 5, 1961. Lowest water level: 30.42 ft below land surface datum, July 11 & 12, 1990.	
REMARKS:	1955-1966, low water levels every 5 th day and 1967-2000, daily mean water levels. Also known as TW2 PT4. Chemical analysis and geophysical logs are available.	





BEAUFORT COUNTY

WELL NUMBER: BFT-116 GRID NUMBER: 28HH-t3
 LATITUDE: 32°31'44" LONGITUDE: 80°46'02"
 LOCATION: Approximately 0.5 mi north of County Road 40 and 1 mi northeast of County Road 20 at Burton Well Field.
 AQUIFER: Floridan.
 CHARACTERISTICS: 12-inch diameter observation well. Depth: 97 ft. Open interval: 78-97 ft.
 DATUM: Land surface datum is 20.35 ft above National Geodetic Vertical Datum of 1929.
 MEASURING POINT: Opening in casing, 1.4 ft above land surface datum.
 PERIOD OF RECORD: 1957-1986.
 EXTREMES: Highest water level: 16.38 ft below land surface datum, March 15, 1984.
 Lowest water level: 31.00 ft below land surface datum, April 10, 1959.
 REMARKS: 1957-1986, intermittent measurements. Water levels affected by tidal fluctuations.
 Chemical analysis and geophysical logs are available.





BEAUFORT COUNTY

WELL NUMBER: BFT-121 GRID NUMBER: 27HH-o1
 LATITUDE: 32°27'48" LONGITUDE: 80°44'05"
 LOCATION: 100 ft east of U.S. 21 and 4 mi northwest of Beaufort.
 AQUIFER: Floridan.
 CHARACTERISTICS: 10-inch diameter observation well. Depth: 105 ft. Open interval: 85-105 ft.
 DATUM: Land surface datum is 31.25 ft above National Geodetic Vertical Datum of 1929.
 MEASURING POINT: Top of casing at land surface datum.
 PERIOD OF RECORD: 1955-1998.
 EXTREMES: Highest water level: 5.84 ft below land surface datum, April 5, 1980.
 Lowest water level: 21.14 ft below land surface datum, August 25, 1956.
 REMARKS: 1955, daily lowest water levels; 1956-1968, low water level every 5th day; 1975-1995, daily mean water levels; 1998, single measurement. Water levels affected by pumping 0.25 mi away. Chemical analysis and geophysical logs are available.




BEAUFORT COUNTY

WELL NUMBER: BFT-133 **GRID NUMBER:** 27GG-q1
LATITUDE: 32°31'20" **LONGITUDE:** 80°43'05"
LOCATION: 2 mi east of U.S. 21 on County Road 70, 20 yards before pavement ends.
AQUIFER: Floridan.
CHARACTERISTICS: 10-inch diameter observation well. Depth: 110 ft. Open interval: 68-110 ft.
DATUM: Land surface datum is 12.12 ft above National Geodetic Vertical Datum of 1929.
MEASURING POINT: Opening in casing, 1.6 ft above land surface datum.
PERIOD OF RECORD: 1957-1998.
EXTREMES: Highest water level: 8.08 ft below land surface datum, February 5, 1960.
 Lowest water level: 12.10 ft below land surface datum, January 10, 1957.
REMARKS: 1957-1968, low water levels every 5th day; 1975-1998, intermittent measurements.
 Water levels are affected by tidal fluctuations. Well is also known as Bft-2. Geophysical logs, chemical analysis, and pumping test data are available.





BEAUFORT COUNTY

WELL NUMBER: BFT-154 GRID NUMBER: 29II-12
 LATITUDE: 32°22'19" LONGITUDE: 80°51'06"
 LOCATION: 0.85 mi southwest of the Chechessee River on County Road 170.
 AQUIFER: Floridan.
 CHARACTERISTICS: 4-inch diameter observation well. Depth: 204 ft. Open interval: 125-204 ft.
 DATUM: Land surface datum is 8.3 ft above National Geodetic Vertical Datum of 1929.
 MEASURING POINT: Opening in casing, 1.2 ft above land surface datum.
 PERIOD OF RECORD: 1956-1998.
 EXTREMES: Highest water level: 5.56 ft below land surface datum, January 24, 1958.
 Lowest water level: 16.95 ft below land surface datum, November 12, 1998.
 REMARKS: 1956-1998, intermittent measurements. Water levels are affected by tidal fluctuations.
 Geophysical logs are available.





BEAUFORT COUNTY

WELL NUMBER: BFT-216 GRID NUMBER: 28FF-w1
 LATITUDE: 32°35'50" LONGITUDE: 80°47'43"
 LOCATION: Intersection of S.C. 292 and 59, near Sheldon.
 AQUIFER: Floridan.
 CHARACTERISTICS: 3-inch diameter domestic well. Depth: 185 ft. Open interval: 85-185 ft.
 DATUM: Land surface datum is 25.97 ft above National Geodetic Vertical Datum of 1929.
 MEASURING POINT: Opening in casing, 0.75 ft above land surface datum.
 PERIOD OF RECORD: 1975-1990.
 EXTREMES: Highest water level: 21.43 ft below land surface datum, March 14, 1983.
 Lowest water level: 27.75 ft below land surface datum, May 22, 1985.
 REMARKS: 1975-1990, intermittent measurements. Water levels are affected by tidal fluctuations.





BEAUFORT COUNTY

WELL NUMBER:	BFT-222	GRID NUMBER:	29KK-11
LATITUDE:	32°12'41"	LONGITUDE:	80°51'56"
LOCATION:	2 mi south of Bluffton and 0.7 mi west of County Road 13.		
AQUIFER:	Floridan.		
CHARACTERISTICS:	6-inch diameter domestic well. Depth: 485 ft. Open interval: 280-485 ft.		
DATUM:	Land surface datum is 13.34 ft above National Geodetic Vertical Datum of 1929.		
MEASURING POINT:	Opening in casing, 1.50 ft above land surface datum.		
PERIOD OF RECORD:	1955-1993.		
EXTREMES:	Highest water level: 14.30 ft below land surface datum, January 16, 1956. Lowest water level: 29.03 ft below land surface datum, July 31, 1986.		
REMARKS:	1955-1993, intermittent measurements. Water levels are affected by tidal fluctuations.		





BEAUFORT COUNTY

WELL NUMBER: BFT-304 GRID NUMBER: 29LL-j1
LATITUDE: 32°08'46" LONGITUDE: 80°50'22"
LOCATION: 300 ft south of the tidal marsh at Haig Point, near the northern tip of Daufuskie Island.
AQUIFER: Floridan.
CHARACTERISTICS: 8-inch diameter observation well. Depth: 619 ft. Open interval: 135-619 ft.
DATUM: Land surface datum is 13 ft above National Geodetic Vertical Datum of 1929.
MEASURING POINT: Top of casing, 0.2 ft above land surface datum.
PERIOD OF RECORD: 1958-1994.
EXTREMES: Highest water level: 16.80 ft below land surface datum, March 30, 1959.
Lowest water level: 33.38 ft below land surface datum, July 11, 1990.
REMARKS: 1958-1966, low water levels every 5th day, 1967-1994, daily mean water levels. Also known as TW3 PT2. Chemical analysis and geophysical logs are available. Water levels are affected by tidal fluctuations.





BEAUFORT COUNTY

WELL NUMBER:	BFT-315	GRID NUMBER:	27JJ-x1
LATITUDE:	32°15'54"	LONGITUDE:	80°43'13"
LOCATION:	Hilton Head Island.		
AQUIFER:	Floridan.		
CHARACTERISTICS:	10-inch diameter observation well. Depth: 483 ft. Open interval: 150-483 ft.		
DATUM:	Land surface datum is 16.4 ft above National Geodetic Vertical Datum of 1929.		
MEASURING POINT:	Opening in casing, 1.70 ft above land surface datum.		
PERIOD OF RECORD:	1962-1998.		
EXTREMES:	Highest water level: 13.40 ft below land surface datum, November 29, 1962. Lowest water level: 20.39 ft below land surface datum, August 18, 1986.		
REMARKS:	1962-1998, intermittent measurements. Chemical analysis, geophysical logs, and pumping test data are available.		




BEAUFORT COUNTY

WELL NUMBER: BFT-346 GRID NUMBER: 28LL-n8
 LATITUDE: 32°07'25" LONGITUDE: 80°48'51"
 LOCATION: The 13th fairway at Harbour Town Golf Course, Sea Pines Plantation, Hilton Head Island.
 AQUIFER: Floridan.
 CHARACTERISTICS: 8-inch diameter irrigation well. Depth: 200 ft. Open interval: 148-200 ft.
 DATUM: Land surface datum is 11.46 ft above National Geodetic Vertical Datum of 1929.
 MEASURING POINT: Opening in casing, 1.59 ft above land surface datum.
 PERIOD OF RECORD: 1975-1998.
 EXTREMES: Highest water level: 21.41 ft below land surface datum, December 22, 1975.
 Lowest water level: 35.93 ft below land surface datum, July 30, 1986.
 REMARKS: 1975-1998, intermittent measurements. Water levels are affected by tidal fluctuations.





BEAUFORT COUNTY

WELL NUMBER: BFT-420 GRID NUMBER: 27GG-g1
 LATITUDE: 32°33'18" LONGITUDE: 80°43'47"
 LOCATION: 3 mi west of Dale, 0.1 mi east of S.C. 480, and 0.2 mi south of S.C. 38.
 AQUIFER: Floridan.
 CHARACTERISTICS: Unused industrial well of unknown diameter. Depth: 262 ft. Open interval: 41-262 ft.
 DATUM: Land surface datum is 17.49 ft above National Geodetic Vertical Datum of 1929.
 MEASURING POINT: Top of casing, 0.69 ft above land surface datum.
 PERIOD OF RECORD: 1975-1998.
 EXTREMES: Highest water level: 15.42 ft below land surface datum, July 27, 1982.
 Lowest water level: 40.53 ft below land surface datum, April 23, 1976.
 REMARKS: 1975-1998, intermittent measurements. Water levels are affected by tidal fluctuations.




BEAUFORT COUNTY

WELL NUMBER: BFT-429 GRID NUMBER: 28JJ-y1
LATITUDE: 32°15'51" LONGITUDE: 80°49'10"
LOCATION: Victoria Bluff Wildlife Area, 0.2 mi east of County Road 744.
AQUIFER: Floridan.
CHARACTERISTICS: 6-inch diameter observation well. Depth: 300 ft. Open interval: 100-300 ft.
DATUM: Land surface datum is 21.56 ft above National Geodetic Vertical Datum of 1929.
MEASURING POINT: Top of casing, 1.85 ft above land surface datum.
PERIOD OF RECORD: 1970-2000.
EXTREMES: Highest water level: 21.71 ft below land surface datum, September 10, 1971.
Lowest water level: 31.71 ft below land surface datum, July 23, 2000.
REMARKS: 1970-2000, daily mean water levels. Chemical analysis and geophysical logs are available. Water levels are affected by tidal fluctuations.





BEAUFORT COUNTY

WELL NUMBER:	BFT-430	GRID NUMBER: 26JJ-n1
LATITUDE:	32°17'24"	LONGITUDE: 80°38'43"
LOCATION:	1.3 mi south of Fort Freemont, at Otter Point Farm.	
AQUIFER:	Floridan.	
CHARACTERISTICS:	4-inch diameter observation well. Depth: 130 ft. Open interval: 104-130 ft.	
DATUM:	Land surface datum is 4.20 ft above National Geodetic Vertical Datum of 1929.	
MEASURING POINT:	Top of casing, 3.57 ft above land surface datum.	
PERIOD OF RECORD:	1975-1998.	
EXTREMES:	Highest water level: 1.92 ft below land surface datum, February 21, 1984. Lowest water level: 5.10 ft below land surface datum, May 15, 1985.	
REMARKS:	1975-1998, intermittent measurements. Chemical analysis and geophysical logs are available. Water levels are affected by tidal fluctuations.	





BEAUFORT COUNTY

WELL NUMBER: BFT-439 **GRID NUMBER:** 28LL-h2
LATITUDE: 32°09'10" **LONGITUDE:** 80°47'20"
LOCATION: 1 mi northwest of Braddock Point and 3 mi southwest of Forest Beach, on Calibogue Cay Road at Sea Pines Plantation, Hilton Head Island.
AQUIFER: Floridan.
CHARACTERISTICS: 6-inch diameter observation well. Depth: 214 ft. Open interval: 125-214 ft.
DATUM: Land surface datum is 6.95 ft above National Geodetic Vertical Datum of 1929.
MEASURING POINT: Top of casing at land surface datum.
PERIOD OF RECORD: 1977-1994.
EXTREMES: Highest water level: 15.32 ft below land surface datum, Feb. 28 & March 17, 1983.
 Lowest water level: 27.42 ft below land surface datum, June 30, 1990.
REMARKS: 1977-1994, daily mean water levels. Geophysical logs are available. Water levels are affected by tidal fluctuations.





BEAUFORT COUNTY

WELL NUMBER: BFT-441 GRID NUMBER: 27KK-d2
 LATITUDE: 32°14'57" LONGITUDE: 80°43'30"
 LOCATION: Approximately 2.5 mi north of the intersection of U.S. 278 and Whooping Crane Way, Hilton Head Plantation, Hilton Head Island.
 AQUIFER: Floridan.
 CHARACTERISTICS: 6-inch diameter observation well. Depth: 218 ft. Open interval: 125-218 ft.
 DATUM: Land surface datum is 10.65 ft above National Geodetic Vertical Datum of 1929.
 MEASURING POINT: Top of casing, 1.05 ft above land surface datum.
 PERIOD OF RECORD: 1972-1998.
 EXTREMES: Highest water level: 8.85 ft below land surface datum, September 18, 1974.
 Lowest water level: 15.67 ft below land surface datum, June 25, 1985.
 REMARKS: 1972-1998, intermittent measurements. Water levels are affected by tidal fluctuations.
 Geophysical logs are available.





BEAUFORT COUNTY

WELL NUMBER: BFT-444 GRID NUMBER: 27KK-x1
 LATITUDE: 32°10'35" LONGITUDE: 80°43'37"
 LOCATION: 0.1 mi from the U.S. 278 entrance to Palmetto Dunes, 110 ft off Queen Ferry Road and approximately 200 ft north of the water tower on Hilton Head Island.
 AQUIFER: Floridan.
 CHARACTERISTICS: 6-inch diameter observation well. Depth: 212 ft. Open interval: 146-212 ft.
 DATUM: Land surface datum is 16.60 ft above National Geodetic Vertical Datum of 1929.
 MEASURING POINT: Top of casing, 0.95 ft above land surface datum.
 PERIOD OF RECORD: 1973-1994.
 EXTREMES: Highest water level: 16.67 ft below land surface datum, January 19, 1976.
 Lowest water level: 32.81 ft below land surface datum, July 12, 1990.
 REMARKS: 1973-1994 daily mean water levels. Geophysical logs are available. Water levels are affected by tidal fluctuations.





BEAUFORT COUNTY

WELL NUMBER: BFT-449 **GRID NUMBER:** 24JJ-c1
LATITUDE: 32°19'30" **LONGITUDE:** 80°27'34"
LOCATION: 0.64 mi north of Ramora Drive near the water storage tank at the golf course on Fripp Island.
AQUIFER: Floridan.
CHARACTERISTICS: 12-inch diameter observation well. Depth: 153 ft. Open interval: 96-150 ft.
DATUM: Land surface datum is 6.46 ft above National Geodetic Vertical Datum of 1929.
MEASURING POINT: Top of casing, 0.75 ft above land surface datum.
PERIOD OF RECORD: 1974-1998.
EXTREMES: Highest water level: 3.03 ft below land surface datum, July 28, 1975.
 Lowest water level: 5.35 ft below land surface datum, Mar. 13, 1988, Nov. 4, 1998.
REMARKS: 1974-1978, daily mean water levels; 1984-1998, intermittent measurements. Water levels are affected by tides. Geophysical logs, chemical analysis and pumping test data are available.





BEAUFORT COUNTY

WELL NUMBER: BFT-453 GRID NUMBER: 28II-i1
LATITUDE: 32°23'40" LONGITUDE: 80°45'50"
LOCATION: 0.75 mi northeast of Edward Burton Rogers Bridge over Broad River at the intersection of S. C. 170, 281, and 20 on Parris Island.
AQUIFER: Floridan.
CHARACTERISTICS: 4-inch diameter observation well. Depth: 104 ft. Open interval: 63-104 ft.
DATUM: Land surface datum is 21.19 ft above National Geodetic Vertical Datum of 1929.
MEASURING POINT: Opening in casing, 3.50 ft above land surface datum.
PERIOD OF RECORD: 1974-1987.
EXTREMES: Highest water level: 16.84 ft below land surface datum, November 14, 1981.
Lowest water level: 21.43 ft below land surface datum, January 23, 1985.
REMARKS: 1974-1987, daily mean water levels. Geophysical logs are available. Water levels are affected by tidal fluctuations.





BEAUFORT COUNTY

WELL NUMBER: BFT-455 GRID NUMBER: 24JJ-d1
 LATITUDE: 32°19'53" LONGITUDE: 80°28'03"
 LOCATION: Near the entrance to Fripp Island and 0.05 mi past the bridge on Tarpon Boulevard.
 AQUIFER: Floridan.
 CHARACTERISTICS: 4-inch diameter observation well. Depth: 102 ft. Open interval: 96-102 ft.
 DATUM: Land surface datum is 6.37 ft above National Geodetic Vertical Datum of 1929.
 MEASURING POINT: Top of casing, 1.99 ft above land surface datum.
 PERIOD OF RECORD: 1975-1998.
 EXTREMES: Highest water level: 3.10 ft below land surface datum, August 11, 1975.
 Lowest water level: 5.32 ft below land surface datum, June 26, 1985.
 REMARKS: 1975-1998, intermittent measurements. Water levels are affected by tidal fluctuations.
 Geophysical logs, chemical analysis, and pumping test data are available.





BEAUFORT COUNTY

WELL NUMBER: BFT-459 GRID NUMBER: 27JJ-i1
 LATITUDE: 32°18'49" LONGITUDE: 80°41'54"
 LOCATION: Parris Island, 1.5 mi east on Wake Boulevard.
 AQUIFER: Floridan.
 CHARACTERISTICS: 4-inch diameter observation well. Depth: 106 ft. Open interval unknown.
 DATUM: Land surface datum is 10.18 ft above National Geodetic Vertical Datum of 1929.
 MEASURING POINT: Top of casing, 1.67 ft above land surface datum.
 PERIOD OF RECORD: 1975-1998.
 EXTREMES: Highest water level: 2.81 ft below land surface datum, November 4, 1975.
 Lowest water level: 6.23 ft below land surface datum, July 29, 1986.
 REMARKS: 1975-1998, intermittent measurements. Water levels are affected by tidal fluctuations.
 Geophysical logs and chemical analysis data are available.




BEAUFORT COUNTY

WELL NUMBER:	BFT-467	GRID NUMBER:	27HH-a1
LATITUDE:	32°29'55"	LONGITUDE:	80°40'10"
LOCATION:	4 mi north of Beaufort and west of Brickyard Point Plantation.		
AQUIFER:	Surficial.		
CHARACTERISTICS:	2-inch diameter domestic well. Depth: 54 ft. Open interval unknown.		
DATUM:	Land surface datum is 10.80 ft above National Geodetic Vertical Datum of 1929.		
MEASURING POINT:	Top of casing at land surface datum.		
PERIOD OF RECORD:	1976-1998.		
EXTREMES:	Highest water level: 4.25 ft below land surface datum, March 13, 1987. Lowest water level: 8.71 ft below land surface datum, May 14, 1985.		
REMARKS:	1976-1998, intermittent measurements. Water levels are affected by tidal fluctuations.		




BEAUFORT COUNTY

WELL NUMBER: BFT-470 GRID NUMBER: 26II-11
 LATITUDE: 32°22'13" LONGITUDE: 80°36'15"
 LOCATION: Orange Grove Plantation near the intersection of County Roads 113 and 164, on St. Helena Island.
 AQUIFER: Surficial.
 CHARACTERISTICS: 6-inch diameter domestic well. Depth: 62 ft. Open interval unknown.
 DATUM: Land surface datum is 9.74 ft above National Geodetic Vertical Datum of 1929.
 MEASURING POINT: Top of casing, 1.31 ft above land surface datum.
 PERIOD OF RECORD: 1975-1998.
 EXTREMES: Highest water level: 1.55 ft below land surface datum, March 26, 1981.
 Lowest water level: 9.71 ft below land surface datum, April 27, 1976.
 REMARKS: 1975-1998, intermittent measurements. Water levels are affected by tidal fluctuations.
 Geophysical logs and chemical analysis data are available.





BEAUFORT COUNTY

WELL NUMBER:	BFT-471	GRID NUMBER:	27II-a1
LATITUDE:	32°24'08"	LONGITUDE:	80°40'03"
LOCATION:	2 mi south of Beaufort, on Gibbs Island.		
AQUIFER:	Surficial.		
CHARACTERISTICS:	2-inch diameter domestic well. Depth: 48 ft. Open interval unknown.		
DATUM:	Land surface datum is 12.93 ft above National Geodetic Vertical Datum of 1929.		
MEASURING POINT:	Top of casing, 1.68 ft above land surface datum.		
PERIOD OF RECORD:	1975-1998.		
EXTREMES:	Highest water level: 9.82 ft below land surface datum, February 21, 1984. Lowest water level: 13.42 ft below land surface datum, August 9, 1984.		
REMARKS:	1975-1998, intermittent measurements. Water levels are affected by tidal fluctuations.		





BEAUFORT COUNTY

WELL NUMBER: BFT-476 GRID NUMBER: 28II-b1
 LATITUDE: 32°24'09" LONGITUDE: 80°46'11"
 LOCATION: 0.3 mi north of the intersection of S.C. 170 and County Roads 23,
 and 281 at Broad River Trailer Park.
 AQUIFER: Floridan.
 CHARACTERISTICS: 4-inch diameter unused public supply well. Depth: 112 ft. Open interval: 69-112 ft.
 DATUM: Land surface datum is 20.87 ft above National Geodetic Vertical Datum of 1929.
 MEASURING POINT: Opening in casing, 0.89 ft above land surface datum.
 PERIOD OF RECORD: 1976-1998.
 EXTREMES: Highest water level: 6.71 ft below land surface datum, March 15, 1983.
 Lowest water level: 22.71 ft below land surface datum, July 29, 1986.
 REMARKS: 1976-1998, intermittent measurements. Water levels are affected by tidal fluctuations.
 Geophysical logs and chemical analysis data are available.





BEAUFORT COUNTY

WELL NUMBER: BFT-497 **GRID NUMBER:** 24II-f3
LATITUDE: 32°23'45" **LONGITUDE:** 80°29'50"
LOCATION: 1.1 mi southwest of the intersection of U.S. 21 and S.C. 77, on St. Helena Island.
AQUIFER: Surficial.
CHARACTERISTICS: 2-inch diameter observation well. Depth: 58 ft. Open interval unknown.
DATUM: Land surface datum is 5.58 ft above National Geodetic Vertical Datum of 1929.
MEASURING POINT: Top of casing, 0.75 ft above land surface datum.
PERIOD OF RECORD: 1976-1998.
EXTREMES: Highest water level: 1.96 ft below land surface datum, February 22, 1984.
 Lowest water level: 5.49 ft below land surface datum, April 1, 1976.
REMARKS: 1976-1998, intermittent measurements. Water levels are affected by tidal fluctuations.





BEAUFORT COUNTY

WELL NUMBER: BFT-563 **GRID NUMBER:** 25II-m2
LATITUDE: 32°22'28" **LONGITUDE:** 80°32'50"
LOCATION: Intersection of County Roads 77 and 470 on St. Helena Island.
AQUIFER: Floridan.
CHARACTERISTICS: 4-inch diameter observation well. Depth: 212 ft. Open interval: 78-212 ft.
DATUM: Land surface datum is 17.38 ft above National Geodetic Vertical Datum of 1929.
MEASURING POINT: Top of casing, 1.90 ft above land surface datum.
PERIOD OF RECORD: 1975-1998.
EXTREMES: Highest water level: 12.35 ft below land surface datum, March 17, 1987.
 Lowest water level: 16.90 ft below land surface datum, February 28, 1989.
REMARKS: 1975-1998, intermittent measurements. Water levels are affected by tidal fluctuations.
 Geophysical logs and chemical analysis data are available.





BEAUFORT COUNTY

WELL NUMBER: BFT-564 GRID NUMBER: 26II-w2
 LATITUDE: 32°20'08" LONGITUDE: 80°37'25"
 LOCATION: Intersection of County Roads 45 and 117 on St. Helena Island.
 AQUIFER: Floridan.
 CHARACTERISTICS: 4-inch diameter observation well. Depth: 207 ft. Open interval: 84-207 ft.
 DATUM: Land surface datum is 18.05 ft above National Geodetic Vertical Datum of 1929.
 MEASURING POINT: Top of casing, 1.58 ft above land surface datum.
 PERIOD OF RECORD: 1975-1998.
 EXTREMES: Highest water level: 13.42 ft below land surface datum, February 21, 1984.
 Lowest water level: 18.97 ft below land surface datum, May 15, 1985.
 REMARKS: 1975-1998, intermittent measurements. Water levels are affected by tidal fluctuations.
 Geophysical logs and chemical analysis data are available.




BEAUFORT COUNTY

WELL NUMBER: BFT-566 **GRID NUMBER:** 27II-s1
LATITUDE: 32°21'08" **LONGITUDE:** 80°41'36"
LOCATION: Parris Island.
AQUIFER: Floridan.
CHARACTERISTICS: 4-inch diameter observation well. Depth: 232 ft. Open interval: 84-232 ft.
DATUM: Land surface datum is 13.06 ft above National Geodetic Vertical Datum of 1929.
MEASURING POINT: Top of casing, 2.00 ft above land surface datum.
PERIOD OF RECORD: 1976-1998.
EXTREMES: Highest water level: 9.67 ft below land surface datum, November 12, 1998.
 Lowest water level: 11.67 ft below land surface datum, February 24, 1976.
REMARKS: 1976-1998, intermittent measurements. Water levels are affected by tidal fluctuations.
 Geophysical logs and chemical analysis data are available.





BEAUFORT COUNTY

WELL NUMBER:	BFT-777	GRID NUMBER:	27KK-13
LATITUDE:	32°12'35"	LONGITUDE:	80°41'12"
LOCATION:	Near the 13th fairway of the Barony Course in Port Royal.		
AQUIFER:	Floridan.		
CHARACTERISTICS:	6-inch diameter unused well. Depth: 130 ft. Open interval: 112-130 ft.		
DATUM:	Land surface datum is 10.45 ft above National Geodetic Vertical Datum of 1929.		
MEASURING POINT:	Top of casing, 0.83 ft above land surface datum.		
PERIOD OF RECORD:	1976-1998.		
EXTREMES:	Highest water level: 10.75 ft below land surface datum, March 30, 1976. Lowest water level: 17.71 ft below land surface datum, July 20, 1993.		
REMARKS:	1976-1998, intermittent measurements. Water levels are affected by tidal fluctuations. Geophysical logs are available.		





BEAUFORT COUNTY

WELL NUMBER: BFT-786 GRID NUMBER: 27KK-b1
LATITUDE: 32°14'53" LONGITUDE: 80°41'55"
LOCATION: North end of Hilton Head Island, 2 mi northwest of Hilton Head Tower and at the end of County Road 335.
AQUIFER: Floridan.
CHARACTERISTICS: 4-inch diameter observation well. Depth: 524 ft. Open interval: 300-524 ft.
DATUM: Land surface datum is 12.14 ft above National Geodetic Vertical Datum of 1929.
MEASURING POINT: Top of casing, 0.70 ft above land surface datum.
PERIOD OF RECORD: 1978-1994.
EXTREMES: Highest water level: 11.52 ft below land surface datum, March 17, 1983.
Lowest water level: 17.48 ft below land surface datum, July 12, 1990.
REMARKS: 1978-1994, daily mean water levels. Chemical analysis and geophysical logs are available. Water levels are affected by tidal fluctuations.




BEAUFORT COUNTY

WELL NUMBER:	BFT-787	GRID NUMBER: 27KK-b2
LATITUDE:	32°14'54"	LONGITUDE: 80°41'57"
LOCATION:	North end of Hilton Head Island, 2.4 mi northwest of Hilton Head Tower and at the end of County Road 335.	
AQUIFER:	Floridan.	
CHARACTERISTICS:	4-inch diameter observation well. Depth: 240 ft. Open interval: 126-240 ft.	
DATUM:	Land surface datum is 11.89 ft above National Geodetic Vertical Datum of 1929.	
MEASURING POINT:	Top of casing, 1.30 ft above land surface datum.	
PERIOD OF RECORD:	1977-1994.	
EXTREMES:	Highest water level: 10.88 ft below land surface datum, March 17, 1983. Lowest water level: 17.68 ft below land surface datum, July 12, 1990.	
REMARKS:	1977-1994, daily mean water levels. Geophysical logs are available. Water levels are affected by tidal fluctuation.	





BEAUFORT COUNTY

WELL NUMBER: BFT-1583 **GRID NUMBER:** 26HH-p7
LATITUDE: 32°26'45" **LONGITUDE:** 80°39'16"
LOCATION: Brickyard Point Road, approximately 2 mi northeast of Beaufort.
AQUIFER: Floridan.
CHARACTERISTICS: 4-inch diameter domestic well. Depth: 80 ft. Open interval unknown.
DATUM: Land surface datum is 15 ft above National Geodetic Vertical Datum of 1929.
MEASURING POINT: Top of casing, 3.72 ft above land surface datum.
PERIOD OF RECORD: 1984-1998.
EXTREMES: Highest water level: 7.26 ft below land surface datum, November 15, 1993.
 Lowest water level: 11.55 ft below land surface datum, May 14, 1985.
REMARKS: 1984-1998, intermittent measurements. Water levels are affected by tidal fluctuations.
 Chemical analysis data are available.





BEAUFORT COUNTY

WELL NUMBER: BFT-1609 GRID NUMBER: 25HH-n2
 LATITUDE: 32°27'48" LONGITUDE: 80°33'40"
 LOCATION: Ladies Island, approximately 2 mi past paved section of S.C. 802 and about 200 ft from the Coosaw River.
 AQUIFER: Surficial.
 CHARACTERISTICS: 4-inch diameter domestic well. Depth: 35 ft. Open interval unknown.
 DATUM: Land surface datum is 6.46 ft above National Geodetic Vertical Datum of 1929.
 MEASURING POINT: Top of casing, 1.28 ft above land surface datum.
 PERIOD OF RECORD: 1984-1998.
 EXTREMES: Highest water level: 3.87 ft below land surface datum, November 15, 1993.
 Lowest water level: 5.64 ft below land surface datum, February 24, 1989.
 REMARKS: 1984-1998, intermittent measurements. Water levels are affected by tidal fluctuations.





BEAUFORT COUNTY

WELL NUMBER:	BFT-1773	GRID NUMBER:	26II-e17
LATITUDE:	32°24'26"	LONGITUDE:	80°39'50"
LOCATION:	Yacht Club Estates on St. Helena Island.		
AQUIFER:	Surficial.		
CHARACTERISTICS:	4-inch diameter domestic well. Depth: 60 ft. Open interval: 48-60 ft.		
DATUM:	Land surface datum is 15.43 ft above National Geodetic Vertical Datum of 1929.		
MEASURING POINT:	Top of casing, 0.72 ft above land surface datum.		
PERIOD OF RECORD:	1985-1998.		
EXTREMES:	Highest water level: 9.52 ft below land surface datum, March 12, 1987. Lowest water level: 13.57 ft below land surface datum, May 14, 1985.		
REMARKS:	1985-1998, intermittent measurements. Water levels are affected by tidal fluctuations.		





BEAUFORT COUNTY

WELL NUMBER: BFT-1809 GRID NUMBER: 27JJ-q2
 LATITUDE: 32°16'03" LONGITUDE: 80°43'22"
 LOCATION: Dolphin Head Recreation Park, Hilton Head Plantation, Hilton Head Island.
 AQUIFER: Floridan.
 CHARACTERISTICS: 6-inch diameter observation well. Depth: 903 ft. Open interval: 227-903 ft.
 DATUM: Land surface datum is 14 ft above National Geodetic Vertical Datum of 1929.
 MEASURING POINT: Top of casing, 1.25 ft above land surface datum.
 PERIOD OF RECORD: 1989-1994.
 EXTREMES: Highest water level: 11.86 ft below land surface datum, February 7, 1993.
 Lowest water level: 16.16 ft below land surface datum, July 12 & 13, 1990.
 REMARKS: 1989-1994, daily mean water levels. Water levels are affected by tidal fluctuations.
 Geophysical logs and pumping test data are available.





BEAUFORT COUNTY

WELL NUMBER: BFT-1810 GRID NUMBER: 27JJ-q3
LATITUDE: 32°16'03" LONGITUDE: 80°43'22"
LOCATION: Dolphin Head Recreation Park, Hilton Head Plantation, Hilton Head Island.
AQUIFER: Floridan.
CHARACTERISTICS: 6-inch diameter observation well. Depth: 202 ft. Open interval: 105-202 ft.
DATUM: Land surface datum is 12.58 ft above National Geodetic Vertical Datum of 1929.
MEASURING POINT: Top of casing, 0.81 ft above land surface datum.
PERIOD OF RECORD: 1986-2000.
EXTREMES: Highest water level: 11.41 ft below land surface datum, June 6, 1991.
Lowest water level: 16.54 ft below land surface datum, July 14, 1993.
REMARKS: 1986-2000, daily mean water levels. Water levels are affected by tidal fluctuations.
Geophysical logs are available.





BEAUFORT COUNTY

WELL NUMBER:	BFT-1811	GRID NUMBER:	27JJ-q4
LATITUDE:	32°16'03"	LONGITUDE:	80°43'22"
LOCATION:	Dolphin Head Recreation Park, Hilton Head Plantation, Hilton Head Island.		
AQUIFER:	Floridan.		
CHARACTERISTICS:	6-inch diameter observation well. Depth: 80 ft. Open interval: 67-80 ft.		
DATUM:	Land surface datum is 12.05 ft above National Geodetic Vertical Datum of 1929.		
MEASURING POINT:	Top of casing, 1.07 ft above land surface datum.		
PERIOD OF RECORD:	1989-1994.		
EXTREMES:	Highest water level: 9.61 ft below land surface datum, April 9, 1993. Lowest water level: 12.77 ft below land surface datum, August 5 & 7, 1993.		
REMARKS:	1989-1994, daily mean water levels. Water levels are affected by tidal fluctuations.		



BEAUFORT COUNTY

WELL NUMBER: BFT-1812 GRID NUMBER: 27JJ-q5
LATITUDE: 32°16'03" LONGITUDE: 80°43'22"
LOCATION: Dolphin Head Recreation Park, Hilton Head Plantation, Hilton Head Island.
AQUIFER: Surficial.
CHARACTERISTICS: 6-inch diameter observation well. Depth: 30 ft. Open interval: 21-30 ft.
DATUM: Land surface datum is 12.48 ft above National Geodetic Vertical Datum of 1929.
MEASURING POINT: Top of casing, 0.90 ft above land surface datum.
PERIOD OF RECORD: 1989-1994.
EXTREMES: Highest water level: 6.84 ft below land surface datum, April 9, 1993.
Lowest water level: 10.19 ft below land surface datum, September 28, 1990.
REMARKS: 1989-1994, daily mean water levels. Water levels are affected by tidal fluctuations.



BEAUFORT COUNTY

WELL NUMBER: BFT-1814 GRID NUMBER: 27KK-j6
LATITUDE: 32°13'58" LONGITUDE: 80°40'38"
LOCATION: Fort Walker, Port Royal Plantation on Hilton Head Island.
AQUIFER: Floridan.
CHARACTERISTICS: 6-inch diameter observation well. Depth: 210 ft. Open interval: 120-210 ft.
DATUM: Land surface datum is 10.84 ft above National Geodetic Vertical Datum of 1929.
MEASURING POINT: Top of casing, 1.20 ft above land surface datum.
PERIOD OF RECORD: 1986-1999.
EXTREMES: Highest water level: 11.21 ft below land surface datum, February 7, 1993.
Lowest water level: 16.91 ft below land surface datum, July 1, 1998.
REMARKS: 1986-1999, daily mean water levels. Water levels are affected by local pumping and tidal fluctuations.

